

# Great Outdoors Quilt

by Adrienne Franklin

**Finished Size:** 48"x 60"

**Finished block size:** 12". Number of blocks: 12.

**Pattern Level:** Intermediate

**Seam Allowances:** 1/4" used throughout and has been added unless otherwise indicated. Read all instructions before beginning. Press carefully step-by-step.



## Materials needed:

1/4-yard blue plaid

1/4-yard green plaid #1

1/4-yard green plaid #2 for inner borders

1-yard beige blender

5/8-yard light fishing allover

4-yards landscape print for piecing, backing and borders

3/8-yard blue blender

3/8-yard brown blender for piecing and binding

52"x 64" piece of batting, matching thread, rotary cutter, ruler and mat, monofilament thread for machine quilting.

## Cutting:

### From blue plaid cut:

6 squares 5 1/4" cut in half diagonally twice to make 24 quarter square triangles (A)

### From green plaid #1 cut:

6 squares 5 1/4" cut in half diagonally twice to make 24 quarter square triangles (B)

### From green plaid # 2 cut:

2 strips 1 1/2"x 50 1/2" \* for side inner borders (these borders will need to be pieced to reach this measurement)

2 strips 1 1/2"x 40 1/2" \*\* for top and bottom inner borders

### From beige cut:

48 squares 2 7/8" cut in half diagonally to make 96 half square triangles (C)

96 squares 2 1/2" (D)

### From light fishing allover cut:

6 squares 8 1/2" (H)

### From landscape print cut:

2 borders 5 1/2" x 52 1/2"\* cut lengthwise for outer sides

2 borders 5 1/2"x 40 1/2"\* cut crosswise for top and bottom

6 squares 8 1/2" (G)

### From blue blender cut:

2 squares 5 1/2" for outer border corners  
24 squares 2 1/2" (E)

**From brown blender cut:**

2 squares 5 1/2" for outer border corners  
24 squares 2 1/2" (F)

\* 2" has been added to the lengthwise measurement of these borders to allow for possible variance in size. Measure and trim before sewing.

**Assembly:**

- 1) Refer to Fig. 1 and sew 2-C triangles to each A – triangle as shown. Make 24.
- 2) Refer to Fig. 2 and sew 2- C triangles to each B – triangle as shown. Make 24.
- 3) Block I: refer to diagram. Sew together side units and sew to center square. Sew together top and bottom units and sew to top and bottom of block. Make 6.
- 4) Block II: Refer to diagram and assemble in the same manner as block I. Make 6.
- 5) To assemble quilt top, sew blocks into 4 rows of 3 blocks each. Alternate blocks I& II as shown in photo. Sew rows together.
- 6) Measure across center of quilt from top to bottom and cut side inner borders to this measurement. Sew to sides of quilt. Measure across center of the quilt from side to side including inner borders .Cut top and bottom inner borders to this length. Sew to quilt.
- 7) Measure across center of quilt from top to bottom and cut outer side borders to this measurement. Measure across center of quilt from side to side .Cut top and bottom outer borders to this measurement. Refer to photo and sew outer corner squares to each end of top and bottom borders. Sew side borders to quilt then sew on top and bottom borders.
- 8) Cut batting and backing 2" larger than quilt top all around. Assemble the quilt "sandwich" by placing the backing, batting and top together in layers and baste or pin with safety pins. Machine or hand quilt as desired. When quilting is completed, trim excess batting and backing. Bind in the usual manner.



Fig. 1  
Make 24







Fig. 2  
Make 24



Block I  
Make 6



Block II  
Make 6

While all possible care has been taken to ensure the accuracy of this pattern, we are not responsible for printing errors or the way in which individual work varies.