

BEST FRIENDS Wall hanging
by Adrienne Franklin

Best Friends Wall hanging

100% Cotton 44"x45" wide

Pattern Level: Very Easy

Read through all the instructions before beginning.

1/4" seam allowances are used throughout and have been added unless otherwise specified.

Press carefully step-by-step.

This quilt is based on a 14" block



Materials needed:

- 1/2 yard 2128-F (pillow panel)
- 1/4 yard 2132-W blue plaid for narrow border
- 1/3 yard 2130-F allover for template A
- 1 3/4 yards 2131-E silhouette for template A, corner squares (template C) and backing
- 1 yard 2192-F postcard print for template B squares and wide outer borders
- 1/2 yard 2132-F green plaid for binding
- piece of batting 45"x45", matching threads, template materials

Templates Required:

See the Template

3- Template A, 7 1/2" isosceles right triangle

Template B, 7 1/2" square

Template C, 6 1/2" square

Cutting:


See the Diagram

See diagram for detailed cutting instructions. Please note that an extra 2" has been added to the lengthwise measurement of the borders for possible variance in size. Measure the completed top and cut to size.


Assembly:

Begin by sewing template A triangles together following the diagram and picture. Sew completed triangle sets to template B squares. Sew pieced sections to pillow panel squares to complete the center top. Measure your quilt top across the center from top to bottom. It should measure approximately 28 1/2".

Cut 2 of the narrow borders to this measurement and sew to each side. Now measure across the center of the quilt from side to side and cut the 2 remaining narrow borders this measurement. Sew to top and bottom of quilt top. For wide borders again measure quilt top as described above, across center. Trim four wide borders to this measurement. Sew wide borders to each side. Sew corner squares to each end of top and bottom borders and attach to quilt top. The top is now complete. Cut backing and batting 45"x45". Assemble the quilt sandwich by placing the backing, batting, and top together in layers and baste or pin with safety pins. Machine quilt as desired, in seam lines and outline quilt around animals. When quilting is completed, trim excess batting and backing. Bind in the usual manner.



Diagram



While all possible care has been taken to ensure the accuracy of this pattern, we are not responsible for printing errors or the way in which individual work varies.

©Cranston, a Division of ©Cranston Print Works Company
www.CranstonVillage.com